


PRODUCT DATA SHEET



PRODUCT DESCRIPTION

Composite element – laminates are pressed on both sides of a chipboard or MDF – see sketch.



Available colours and structures as per the basic collection – go to www.sareco.com.
Additional colours are available upon request with minimum order quantity and a longer lead time.

APPLICATIONS

Horizontal and vertical applications are suitable for residential, public and commercial areas as well as healthcare facilities. Due to its properties their use is particularly recommended for kitchens, home and bathroom furniture, wall paneling, shop fittings and generally for decorative interior applications.

CLEANING AND CARE INSTRUCTIONS

DUHO-LUX® boards do not require any special care.

If required the surfaces can be cleaned with soft, non-abrasive cloths or sponges. All commercially available mild surfactant-based agents which do not contain any abrasive components are suitable. However, the use of strong acids and bleaching agents for cleaning is strictly forbidden.

TECHNICAL DATA (Extract)

The **surface properties** of **DUHO-LUX®** composite elements are identical to those of **SARÉPAL®** laminates - see data sheet in the download area - www.sareco.com.

GENERAL PROPERTIES – COMPOSITE ELEMENTS

Properties	Unit	Value	Test standard
Tolerance of nominal dimensions			
Length	mm (max. deviation)	± 5	EN 324-1
Width	mm (max. deviation)	± 1	EN 324-1
Thickness	mm (max. deviation)	± 0.4	EN 324-1
Rectangularity	mm/m (max. deviation)	3	EN 324-2
Flatness	mm/m (max. deviation)	3	EN 14323

PRODUCT DATA SHEET



CERTIFICATIONS



The mark of responsible forestry



FSC®- and PEFC™ certified products are available upon request and availability.



AVAILABILITY / SIZES / THICKNESSES

► Composite element, support: chipboard in E1 P2 quality ◀

Pressed version

- Both sides laminate (**SOFTTOUCH** décors with surface protection film)

Size

Depending on the laminate size and the used chipboard – please contact the sales department.

Chipboards in special qualities e.g., E1 P3, E1 P5, CARB II as well as additional sizes and thicknesses according to customer requirements are available upon request with minimum quantity and a longer lead time.

Additional information and technical data regarding the support please refer to the product data sheet DUHOSPAN®.

► Composite element, support: MDF board in E1 quality ◀

Pressed version

- Both sides laminate (**SOFTTOUCH** décors with surface protection film)

Size

Depending on the laminate size and the used MDF board – please contact the sales department.

MDF boards in special qualities e.g., FR CL-B, MR, NAF, Carb II, Black, TSCA VI, Light as well as additional sizes and thicknesses according to customer requirements are available with minimum quantity and a longer lead time.

Additional information and technical data regarding the support please refer to the product data sheet DUHO-MDF®.

Edgebanding

Available in different qualities, thicknesses and widths.

PRODUCT DATA SHEET



Additional technical data upon request.

The information in this product data sheet is based on our current knowledge and experience. However, they do not release you from your own experiments and tests. A legally binding assurance of the properties or the suitability for a specific purpose cannot be derived from our information. Any protective rights as well as existing laws and regulations must be observed. Status: September 2023

Saréco Deutschland GmbH · Birkhof 14 · D-49479 Ibbenbüren · www.sareco.com